

---

# GCSE MATHEMATICS

**Practice Papers Set 4**  
Paper 2 Foundation - Mark Scheme

---

8300/2F

---

Version 1.0

---

Principal Examiners have prepared these mark schemes for specimen papers. These mark schemes have not, therefore, been through the normal process of standardising that would take place for live papers.

Further copies of this Mark Scheme are available from [aqa.org.uk](http://aqa.org.uk)

## Glossary for Mark Schemes

GCSE examinations are marked in such a way as to award positive achievement wherever possible. Thus, for GCSE Mathematics papers, marks are awarded under various categories.

If a student uses a method which is not explicitly covered by the mark scheme the same principles of marking should be applied. Credit should be given to any valid methods. Examiners should seek advice from their senior examiner if in any doubt.

<b>M</b>	Method marks are awarded for a correct method which could lead to a correct answer.
<b>A</b>	Accuracy marks are awarded when following on from a correct method. It is not necessary to always see the method. This can be implied.
<b>B</b>	Marks awarded independent of method.
<b>ft</b>	Follow through marks. Marks awarded for correct working following a mistake in an earlier step.
<b>SC</b>	Special case. Marks awarded within the scheme for a common misinterpretation which has some mathematical worth.
<b>M dep</b>	A method mark dependent on a previous method mark being awarded.
<b>B dep</b>	A mark that can only be awarded if a previous independent mark has been awarded.
<b>oe</b>	Or equivalent. Accept answers that are equivalent. eg accept 0.5 as well as $\frac{1}{2}$
<b>[a, b]</b>	Accept values between $a$ and $b$ inclusive.
<b>[a, b)</b>	Accept values $a \leq \text{value} < b$
<b>3.14 ...</b>	Allow answers which begin 3.14 eg 3.14, 3.142, 3.1416
<b>Use of brackets</b>	It is not necessary to see the bracketed work to award the marks.

Examiners should consistently apply the following principles

### **Diagrams**

Diagrams that have working on them should be treated like normal responses. If a diagram has been written on but the correct response is within the answer space, the work within the answer space should be marked. Working on diagrams that contradicts work within the answer space is not to be considered as choice but as working, and is not, therefore, penalised.

### **Responses which appear to come from incorrect methods**

Whenever there is doubt as to whether a student has used an incorrect method to obtain an answer, as a general principle, the benefit of doubt must be given to the student. In cases where there is no doubt that the answer has come from incorrect working then the student should be penalised.

### **Questions which ask students to show working**

Instructions on marking will be given but usually marks are not awarded to students who show no working.

### **Questions which do not ask students to show working**

As a general principle, a correct response is awarded full marks.

### **Misread or miscopy**

Students often copy values from a question incorrectly. If the examiner thinks that the student has made a genuine misread, then only the accuracy marks (A or B marks), up to a maximum of 2 marks are penalised. The method marks can still be awarded.

### **Further work**

Once the correct answer has been seen, further working may be ignored unless it goes on to contradict the correct answer.

### **Choice**

When a choice of answers and/or methods is given, mark each attempt. If both methods are valid then M marks can be awarded but any incorrect answer or method would result in marks being lost.

### **Work not replaced**

Erased or crossed out work that is still legible should be marked.

### **Work replaced**

Erased or crossed out work that has been replaced is not awarded marks.

### **Premature approximation**

Rounding off too early can lead to inaccuracy in the final answer. This should be penalised by 1 mark unless instructed otherwise.

### **Continental notation**

Accept a comma used instead of a decimal point (for example, in measurements or currency), provided that it is clear to the examiner that the candidate intended it to be a decimal point.

Q	Answer	Mark	Comments
1	25%	B1	
	<b>Additional Guidance</b>		
2	cm <sup>3</sup> and cubic metres	B1	
	<b>Additional Guidance</b>		
3(a)	0.8	B1	
	<b>Additional Guidance</b>		
3(b)	$\frac{2}{6}$	B1	
	<b>Additional Guidance</b>		
4	$4x^2 - 3x$ or $x(4x - 3)$	B2	B1 for $4x^2$ or $-3x$
	<b>Additional Guidance</b>		
5	$20 \times 420 = 8400$ or $8400 \div 20 = 420$ or $8400 \div 7$ or 1200 per hour	B1	oe
	Indicates No and fewer with a valid reason	B1	eg likely to slow down cannot keep up that rate for 7 hours
	<b>Additional Guidance</b>		

Q	Answer	Mark	Comments	
6	$6(3x - 7y + 5z)$	B2	B1 for correct partial factorisation $2(9x - 21y + 15z)$ or $3(6x - 14y + 10z)$	
	<b>Additional Guidance</b>			
7	0.4	B1		
	<b>Additional Guidance</b>			
8	56	B1	In any answer line	
	$(180 - 56) \div 2$	M1		
	62	A1	In any answer line	
	$180 - 56 - 56$	M1		
	68	A1	In any answer line	
	<b>Additional Guidance</b>			

Q	Answer	Mark	Comments
9	500.50 and 131.60 and 85.80	M1	Allow one error
	717.90	A1	
	150.40	B1	
	567.50	B1ft	ft their total pay – their total deductions provided at least one is correct
	<b>Additional Guidance</b>		
	Cannot score final mark if incorrect money notation has been used for any amount but condone eg £567.50p		
	567.5		M1A1B1B0
10	$5\frac{7}{12}$	B2	B1 for $\frac{67}{12}$ or 5.58... or $\frac{1}{3}$ or $\frac{21}{4}$ B2 oe mixed fraction eg $5\frac{14}{24}$
	<b>Additional Guidance</b>		
11(a)	2000 seen	M1	
	0.75 and 0.3 and 0.25 seen	M1	Allow one error
	2000 (+) 5 (+) 1 (+) 0.75 (+) 0.3 (+) 0.25 = 2007.3	A1	
	<b>Additional Guidance</b>		


Q	Answer	Mark	Comments
---	--------	------	----------

11(b)	<b>Alternative method 1</b>		
	$2.1 \times 3$	M1	
	6.3	A1	
	5 kg and 1 kg and 300 grams	A1	oe Any order
	<b>Alternative method 2</b>		
	Correctly adds up three masses with units in kilograms	M1	eg $5 + 1 + 0.3 = 6.3$ $2000 + 5 + 1 = 2006$
	Correctly divides total by 3	M1dep	eg $6.3 \div 3 = 2.1$ $2006 \div 3 = 668.(\dots)$
	5 kg and 1 kg and 300 grams	A1	oe Any order
	<b>Additional Guidance</b>		

12	At least four square numbers seen or at least four cube numbers seen or 64 identified	M1	
	67 and prime	A1	
	<b>Additional Guidance</b>		

Q	Answer	Mark	Comments	
<b>13(a)</b>	23 + 9 + 20 or 52 or 48	M1	oe	
	their 48 ÷ 3 (x 2) or 16 or 32	M1dep		
	23 + their 16 or 39 or 9 + their 32 or 41	M1dep		
	39 and 41 and B	A1		
	<b>Additional Guidance</b>			
<b>13(b)</b>	612 × 4 or 612 × 5 or 3060	M1		
	2448	A1		
	<b>Additional Guidance</b>			
<b>14</b>	Width = 3 seen or implied or 2 -- 1 or 3 or -1 - 2 or -3	M1		
	(a =) 7	A1		
	Length = 4 seen or implied or -2 -- 6 or 4 or -6 -- 2 or -4	M1		
	(b =) 8	A1		
	<b>Additional Guidance</b>			



Q	Answer	Mark	Comments
15(a)	$\xi$ 	B3	B2 for no more than one value in wrong region or omitted B1 for one correct region
	<b>Additional Guidance</b>		

15(b)	3 4 7 1 4 5 4 8	B3ft	B2ft if values used instead of quantities ie 3, 6, 12      1, 2, 4, 8 9                  5, 7, 10, 11 or for one row and one column correct B1ft for one row or one column correct ft their part (a)
	<b>Additional Guidance</b>		

16	Side of square = 14 cm seen or implied	B1	eg $14 \times 14$ or 196
	$\pi \times 7^2$ or $49\pi$ or [153.8, 154]	M1	oe
	$14 \times 14 - \pi \times 7^2$ or $196 - [153.8, 154]$	M1dep	oe
	[42, 42.2] or $196 - 49\pi$	A1	
<b>Additional Guidance</b>			

Q	Answer	Mark	Comments
17(a)	$3 \times 15 \times 15$	M1	oe
	675	A1	
	<b>Additional Guidance</b>		
17(b)	$1000 \div 3$ or 333.(...)	M1	
	18.2(5...) or 18.26 or 18.3	A1	
	19(th) (term)	A1	
	<b>Additional Guidance</b>		
	For A mark to be awarded any calculations shown must be correct		
18	$\frac{1}{5}$	B1	
	<b>Additional Guidance</b>		
19(a)	16	B1	
	<b>Additional Guidance</b>		
19(b)	$5^{11}$	B1	
	<b>Additional Guidance</b>		

Q	Answer	Mark	Comments
---	--------	------	----------

<b>20(a)</b>	<b>Alternative method 1</b>		
	1.015 seen or $4000 \times 1.015$ or 4060	M1	
	$4000 \times 1.015^2 = 4120.90$	A1	
	<b>Alternative method 2</b>		
	0.015 $\times$ 4000 or 60 or 4060 or 0.015 $\times$ 4060 or 60.9	M1	
	$4000 + 60 + 60.9 = 4120.90$	A1	
	<b>Additional Guidance</b>		
Allow £4120.90p		M1A1	

<b>20(b)</b>	$4120.9 \times 1.014$ or $4120.9 \times 0.014$ or 57.6926 or 57.69 or 57.70	M1	oe
	$4120.9 +$ their 57.6926 or 4178.5926	M1dep	
	their $4178.5926 \times 0.0135$	M1dep	oe
	56.4110001 or 56.41 or 56.42 and 57.6926 or 57.69 or 57.70 and Less	A1	
	<b>Additional Guidance</b>		

Q	Answer	Mark	Comments
21(a)	Mid values seen	B1	5, 15, 25 or 5.005, 15.005, 25.005 or 5.01, 15.01, 25.01
	$5 \times 18 (+) 15 \times 15 (+) 25 \times 7$	M1	Accept use of mid values 5.005, 15.005, 25.005 or 5.01, 15.01, 25.01 Allow one error eg one mid value incorrect or one calculation incorrect
	their $490 \div 40$	M1dep	
	12.25 or 12.26	A1	SC2 for 7.25 or 7.26 or 17.25 or 17.26
	<b>Additional Guidance</b>		

21(b)	Indicates lower	B1	
	Valid reason	B1	eg (£)4.50 is less than (£)5 and (£)23.40 is less than (£)25
	<b>Additional Guidance</b>		

22	$3a - 4 = 11$	M1	oe $11 + 4$
	$3a = 11 + 4$ or $3a = 15$ or $a = 5$	M1dep	oe $\frac{11+4}{3}$
	$6 - 4b = 14$	M1	oe $14 - 6$ or $6 - 14$
	$4b = 6 - 14$ or $4b = -8$	M1dep	oe $\frac{6-14}{4}$
	$a = 5$ and $b = -2$	A1	
	<b>Additional Guidance</b>		

Q	Answer	Mark	Comments
23	$\sin 20 = \frac{x}{12}$ or $12 \sin 20$	M1	oe
	4.1...	A1	Accept 4 with working shown
	<b>Additional Guidance</b>		
24	$2 (\times) 70$ or $5 (\times) 28$ or $7 (\times) 20$	M1	May be on a diagram
	$2 \times 2 \times 5 \times 7$	A1	Any order
	$2^2 \times 5 \times 7$	A1	Any order
	<b>Additional Guidance</b>		

---

Copyright © 2016 AQA and its licensors. All rights reserved.

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.